

Final Health Monitoring Report

Martin Fray
Medical Research Council
MLC Quarantine
Harwell
Didcot, OX11 0RD

Order Number
4500261467

Report Reference
08-5299

Samples Received
January 07, 2008

Report Date
January 16, 2008

Quantity	Sample Details	Species	Profile	Sample Type
1	Quarantine - Isolator 153002 - CD1M/441.6d Ear Clip 30	Mouse	32M	Live Animal
1	Quarantine - Isolator 153002 - CD1M/441.6e Ear Clip 1	Mouse	32M	Live Animal
1	Quarantine - Isolator 153002 - CD1M/494.3a No Ear Clip	Mouse	32M	Live Animal
1	Quarantine - Isolator 153002 - CD1M/494.3e Ear Clip 3	Mouse	32M	Live Animal

Quarantine - Isolator 153002 - 32M
Samples negative for the agents tested

Signed:



Adrian Deeny BSc (Hons), C Biol., MI Biol.
Technical Services Manager

Harlan UK Technical Services
Phone: 01530 222794
Fax: 01530 222807
techserv@harlan.com

Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
07 January 08	Mouse	Medical Research Council	Quarantine - Isolator 153002	32M

Viruses

Ectromelia virus
Lymphocytic choriomeningitis virus
Minute virus of mice
Mouse adenovirus type 1 (MAd FL)
Mouse adenovirus type 2 (MAd K87)
Mouse cytomegalovirus
Mouse hepatitis virus
Mouse parvovirus
Mouse rotavirus (EDIM)
Pneumonia virus of mice
Reovirus type 3
Sendai virus
Theiler's murine encephalomyelitis virus

Positive/Tested

0/4
0/4
0/4
0/4
0/4
0/4
0/4
0/4
0/4
0/4
0/4
0/4
0/4

Test Method

ELISA
ELISA
ELISA
ELISA
ELISA
ELISA
ELISA
ELISA
ELISA
ELISA
ELISA
ELISA
ELISA

Bacteria, Mycoplasma and Fungi

Citrobacter rodentium
Clostridium piliforme
Corynebacterium kutscheri
Helicobacter spp
Mycoplasma spp
Pasteurella spp
Salmonella sp
Streptobacillus moniliformis
Streptococci Beta-haemolytic (not group D)
Streptococcus pneumoniae

Positive/Tested

0/4
0/4
0/4
0/4
0/4
0/4
0/4
0/4
0/4
0/4

Test Method

Culture
ELISA
Culture
PCR
ELISA
Culture
Culture
Culture
Culture
Culture

Parasites

Ectoparasites
Endoparasites

Positive/Tested

0/4
0/4

Test Method

Microscopy
Microscopy

Pathological Lesions

External
Necropsy


Positive/Tested

0/4
0/4

Test Method

Pathology
Pathology

Signed:



Adrian Deeny BSc (Hons), C Biol., MI Biol.
Technical Services Manager

Harlan UK Technical Services
Phone: +44 (0)1530 222794
Fax: +44 (0)1530 222807
techserv@harlanuk.co.uk
Report Reference: 08-5299